



# EXPLORE EARTH

YOUR HOME, OUR MISSION

### Earth Information System (EIS)

Monthly Highlights August 2023



https://www.earthdata.nasa.gov/eis



#### EIS Fire responds to wildfire events across the globe



While EIS Fire is working on expanding our fire event tracking algorithm (FEDS) in regions expected to be impacted by the strengthening El Nino (e.g., Indonesia, Amazon Basin) we have also responded to fire events outside those domains, such as the wildfires impacting the Greek island of Rhodes (Jul 2023), Hawaii (Aug 2023), and Canada.

Available in 12-hour increments, the FEDS data illustrate the time series progression of fire spread during an event.



EIS Fire team members Eli Orland and Tess McCabe contributed to a July 19 Earth Observatory article

Home Gallery Mr	ip Scene Groups Help	Q. Sign In	
	Banh Johnstradon System (EU) Pile Elsen Dala Sale (2020) Chen-solves for August 2020 Pileoni Mala Sale Bill May Imge Laper by souther Grande Aug (1), 2027 - Johnste Aug (1), 2027 - Ven-Gauet HD	Open is Map Viewer Classic 🗸 🗸	
		Open in Scene Wewer	
		Open in AreGIS Desktop ~	
Barrielan.		Metadete	1
Description			_
Summary,			
The Fire Event Data Suite, or fire frents, and track the prog on the latest active fire detect	FTDS, algorithm uses high teachine VIIS observations to made fire perimetron, identify the active portion of reasion and attributes of individual floes every 12 hours. For individual fire events, "FTDS contains information lises, as well as the total fire event history in 12 hour increments.	Details	
Suggested Usage:	Suggested Usage: Prelener data are helpful for understanding the time string progression of a fire event, synchronid via the VBS service. Giver the source		
Perimeter data are helpful for			
always be verified with suppl	s that must be taken for Likeks active the cata are applicance here. All data are caper months and should ementary sources of information when available.	E1 9	
Date of Next Image:	Date of Next Image:		
Updates available at approxit	Updates available at approximate 12-hour intervals.		
Satellite/Sensor:		Owner	
Suomi NPP and NOAA-20 se perimeter information and tri	Suomi NPP and NOAA.20 satelites conving the VIRS sensor. The PEDS algorithm uses the locations and sizes of each pixel to derive perimeter information and track individual free events.		
Resolution:		Tags	

FEDS perimeters available in the NASA Disasters portal



## Disentangling human-caused land surface changes on drought propagation

Drought propagation from the meteorological to hydrological phases is controlled by land surface properties. Human changes in the land surface can further alter drought propagation and make the hydrologic cycle more *fragile* to deficits in atmospheric water (*Fragility* is defined as a function of the number of drought instances, their severity, and duration).

EIS synthesis uncovers the spatial distribution of fragility in soil moisture and groundwater. The analysis shows that in many places (e.g., Western U.S.) groundwater resources have become more fragilesuch as due to human management practices agriculture.



Spatial distribution of groundwater and soil moisture fragility regimes. The inset map shows thresholds for the map delineation (Red colors indicate areas where soil moisture and groundwater are becoming fragile under droughts; Blue where groundwater is fragile, but not soil moisture, Orange – soil moisture is fragile, but not groundwater; Green – where neither groundwater or soil moisture is fragile)



#### **EIS Engagements and Outreach in August**

Organization/ Meeting	Date(s)/Location	Thematic Area	Outcome
El Nino Working Group	August 16/ Virtual	All	Sharing outputs on Earth system processes across thematic areas for improved understanding of impacts
Terrestrial Ecology Program/ EIS presentation and discussion	August 31/ Virtual	Water, Fire	Potential ½ day meeting to continue discussions
NASA Acres/ EIS presentations	August 21/ Virtual	Ag, Water	Follow-on meeting to evaluate NLDAS model outputs as GEOGLAM and AGMET Indicator inputs, and vice versa